

Product Data Sheet

Product	NC Primer (Surfacer)
Product Code	73
Description	Primer / surface for wood and steel, easy to sand for smooth finishes
Composition	Pigmented Nitrocellulose

Physical Properties

Colour	Beige
Appearance	semi-matt
Viscosity	80KU
Shelf Life	one year
Storage Conditions	normal
Pack Size	5ℓ

Application Properties

Method	spraying
Volume Solids (Typical)	20%
Recommended Average DFT in microns	20
Theoretical Coverage (m² / ℓ)	10-12
Wet Film Thickness in microns	n/a
Recommended No of Coats	one or two depending on substrate
Drying Time at 25°C	15 minutes (touch dry) 2 hours (hard dry)
Overcoating Time at 25°C	2 hours
Thinning	Lacquer Thinners
Cleaning Solvent	Lacquer Thinners
Recommended System	Can be over coated with NC Lacquer or Polyurethane

Precaution

Flashpoint	below 10°C
Toxicity	avoid breathing vapours

Note

THIS PRODUCT IS LEAD FREE.

No guarantee is implied by the recommendations contained herein since the data sheet is issued for information purposes only. Method of application on surface , cleanliness and conditions of use etc. are beyond our control.